ActiveX Source Server Setup

1. Run Internet Explorer on the PC to be ActiveX source server and type in the address <u>Http://localhost/adminauth.php</u> (see Figure 1)

🚈 http://localhost/adminauth.php - Microsoft Internet Explorer	
Eile Edit View Favorites Iools Help	
🔇 Back 🔹 🕥 🕣 😰 🐔 🔎 Search 🔅 Favorites 🔮 Media 🤣 🎯 - 😓 🚍	
Address Antp://localhost/adminauth.php	• >
Aministrator Login Page	The product activation grace period has expired To activate Windows now, click here

Figure 1.

- 2. Type in login and password. Login=m, Password=m.
- 3. In the main menu pick system administration submenu (see figure 2.)

A http://172.16.1.47/adminauth.php - Microsoft Internet Explorer provided by CEC Corp.	- 년 ×	
Ele Edit View Favorites Tools Help		
(→ Back • → · ② ③ ③ ④ ③ Search Gal Favorites ④ Media ③ □ □ ·		
Address @ http://172.16.1.47/adminauth.php	▼ @Go	
Links Coogle CHotmail Premier Dell.com ProCurve Switch 4000M Cicsconfig Ccma	dmin 💣 Preventing Third Party Relaying In MS Exchange Server 5.5.	
Administration Panel (Main Menu) User administration User administration User administration User administration User administration (P servers configuration) (P servers conf		

Figure 2.

- 4. Go to "Other Settings" section and in the setting labeled "ActiveX Source Server:" Enter the IP Address of the local PC. (see Figure 3.)
- 5. Click on "Save changes" then on "Back to Main Menu"
- 6. Done.



Figure 3.